

2019 Ohio Randonneurs 600k ACP Brevet

Notes: R=Right, L=Left, BR/L=Bear Right/Left, QR/L=Quick Right/Left, S=Straight, T="T" intersection, SS=Stop Sign, TL=Traffic Light, TRO=To Remain On, YS=Yield Sign, UM=Unmarked, FL=Flashing Light, >=Becomes, X=Cross

| From Start | From Last Ctrl | From Last Cue | Type | Description | km |
|-------------|----------------|---------------|--------------|--|-------------|
| 0.0 | 0.0 | 0.0 | Start | Control LaQuinta, 268 Highland Rd., Macedonia, OH 44056, Open:06:00 Close 07:00 | 0.0 |
| 0.0 | 0.0 | 0.0 | L | Highland Rd | 0.0 |
| 0.5 | 0.5 | 0.5 | L | T TL Olde 8 Rd | 0.8 |
| 1.5 | 1.5 | 1.0 | L | Twinsburg Rd | 2.4 |
| 5.4 | 5.4 | 3.9 | L | T TL SR 91 N/Darrow Rd | 8.7 |
| 5.6 | 5.6 | 0.2 | R | TL Old Mill Rd | 9.0 |
| 9.7 | 9.7 | 4.1 | L | T SS Aurora Hudson Rd | 15.6 |
| 9.9 | 9.9 | 0.2 | R | Mennonite Rd | 15.9 |
| 10.8 | 10.8 | 0.9 | R | T SS Chillicothe Rd | 17.4 |
| 10.8 | 10.8 | 0.0 | QL | Mennonite Rd | 17.4 |
| 11.9 | 11.9 | 1.1 | L | Page Rd | 19.2 |
| 12.9 | 12.9 | 1.0 | R | T SS Pioneer Trail | 20.8 |
| 14.7 | 14.7 | 1.8 | L | SS Chamberlain Rd | 23.7 |
| 17.5 | 17.5 | 2.8 | R | Winchell Rd | 28.2 |
| 23.8 | 23.8 | 6.3 | BL | Allyn Rd >Grove Rd | 38.3 |
| 25.8 | 25.8 | 2.0 | L | Jug St | 41.5 |
| 29.9 | 29.9 | 4.1 | BR | Patch Rd | 48.1 |
| 30.0 | 30.0 | 0.1 | QL | Jug St | 48.3 |
| 32.6 | 32.6 | 2.6 | L | T SS SR 168 N | 52.5 |
| 33.5 | 33.5 | 0.9 | R | Georgia Rd | 53.9 |
| 36.1 | 36.1 | 2.6 | L | Lake Ave/Newcomb Rd | 58.1 |
| 36.8 | 36.8 | 0.7 | L | TL Springdale Ave | 59.2 |
| 37.2 | 37.2 | 0.4 | L | TL W High St | 59.9 |
| 37.3 | 37.3 | 0.1 | QR | Control Marathon/Circle K, 15560 W. High St., Middlefield, OH 44062, Open:07:46 Close:10:00 | 60.0 |
| 37.3 | 0.0 | 0.0 | L | Backtrack on High St XXX Traffic | 60.0 |
| 39.1 | 1.8 | 1.8 | L | TL SR-528 N | 62.9 |
| 42.5 | 5.2 | 3.4 | R | Burton-Windsor Rd | 68.4 |
| 48.4 | 11.1 | 5.9 | L | SS SR-534 N UM | 77.9 |
| 50.3 | 13.0 | 1.9 | BR | Noble Rd (leave SR 534) | 81.0 |
| 51.3 | 14.0 | 1.0 | R | New Hudson Rd UM | 82.6 |
| 54.8 | 17.5 | 3.5 | L | SS SR-45 N UM | 88.2 |
| 55.3 | 18.0 | 0.5 | R | Windsor Rd | 89.0 |
| 65.6 | 28.3 | 10.3 | R | T SS SR 193 S UM | 105.6 |
| 66.2 | 28.9 | 0.6 | L | Babcock Rd | 106.5 |
| 67.2 | 29.9 | 1.0 | R | T SS Hayes Rd UM | 108.1 |
| 68.0 | 30.7 | 0.8 | L | SS US-322 E XXX Traffic | 109.4 |
| 70.0 | 32.7 | 2.0 | L | Stanhope-Kelloggsville Rd | 112.7 |
| 74.0 | 36.7 | 4.0 | R | Gibbs Rd | 119.1 |
| 76.1 | 38.8 | 2.1 | L | SS SR 7 N UM | 122.5 |

| From Start | From Last Ctrl | From Last Cue | Type | Description | km |
|--------------|----------------|---------------|----------|---|--------------|
| 77.1 | 39.8 | 1.0 | R | Control BP, 91 Public Sq., Andover, OH 44003, Open:09:39 Close:14:16 | 124.1 |
| 77.1 | 0.0 | 0.0 | R | Follow SR 7 North around square | 124.1 |
| 77.2 | 0.1 | 0.1 | R | TRO SR 7 N | 124.2 |
| 78.2 | 1.1 | 1.0 | R | Fenkell Rd | 125.9 |
| 79.7 | 2.6 | 1.5 | L | SS Pymatuning Lake Rd UM | 128.3 |
| 84.4 | 7.3 | 4.7 | R | Footville-Richmond Rd | 135.8 |
| 85.3 | 8.2 | 0.9 | S | Enter PA | 137.3 |
| 86.9 | 9.8 | 1.6 | R | T SS US-6 E UM | 139.9 |
| 87.0 | 9.9 | 0.1 | QL | Beaver Center Rd | 140.0 |
| 90.4 | 13.3 | 3.4 | R | Turkey Track Rd | 145.5 |
| 94.7 | 17.6 | 4.3 | L | T SS SR 4003/Conneautville Rd | 152.4 |
| 96.2 | 19.1 | 1.5 | R | SS PA-18 S/PA-198 E/Main St (store) | 154.8 |
| 97.0 | 19.9 | 0.8 | L | PA-198 E | 156.1 |
| 98.6 | 21.5 | 1.6 | L | Rundelstown Rd | 158.7 |
| 102.6 | 25.5 | 4.0 | BL | T SS TRO Rundelstown Rd | 165.1 |
| 103.7 | 26.6 | 1.1 | L | T SS PA-98 N UM | 166.9 |
| 108.1 | 31.0 | 4.4 | BR | Irish Rd UM (SR 1008) | 174.0 |
| 114.3 | 37.2 | 6.2 | L | Blystone Rd UM (SR 1017) Do not miss! | 183.9 |
| 115.0 | 37.9 | 0.7 | L | SS PA-99 N UM | 185.1 |
| 115.9 | 38.8 | 0.9 | R | Perry Ln | 186.5 |
| 116.6 | 39.5 | 0.7 | R | SS Kinter Hill Rd UM | 187.6 |
| 119.5 | 42.4 | 2.9 | L | Old Rte 86/Sharp Rd/Mt Pleasant Rd (SR 3025) | 192.3 |
| 124.3 | 47.2 | 4.8 | R | Old State Rd (SR 3014) >3rd St | 200.0 |
| 128.1 | 51.0 | 3.8 | L | T SS Walnut St | 206.2 |
| 128.1 | 51.0 | 0.0 | QBL | TRO Walnut St (not N Park Row) | 206.2 |
| 128.6 | 51.5 | 0.5 | R | Control Circle K, 830 US 19, Waterford, PA 16441, Open:12:06 Close:19:48 | 207.0 |
| 128.6 | 0.0 | 0.0 | L | Backtrack on Walnut St | 207.0 |
| 129.2 | 0.6 | 0.6 | R | 3rd St >Old State Rd | 207.9 |
| 133.0 | 4.4 | 3.8 | L | SS Old Rte 86/Sharp Rd (SR 3025) | 214.0 |
| 137.7 | 9.1 | 4.7 | R | SS Kinter Hill Rd UM | 221.6 |
| 140.7 | 12.1 | 3.0 | L | Perry Ln | 226.4 |
| 141.3 | 12.7 | 0.6 | L | T SS PA-99 S UM (XXX Traffic) | 227.4 |
| 142.3 | 13.7 | 1.0 | BR | Blystone Rd UM (SR 1017) (@Jericho Rd) | 229.0 |
| 142.9 | 14.3 | 0.6 | R | SS Irish Rd (SR 1008) | 230.0 |
| 149.2 | 20.6 | 6.3 | L | T SS PA-98 S UM | 240.1 |
| 153.5 | 24.9 | 4.3 | R | Rundelstown Rd | 247.0 |
| 154.7 | 26.1 | 1.2 | R | TRO Rundelstown Rd | 249.0 |
| 158.7 | 30.1 | 4.0 | R | T SS PA-198 W | 255.4 |
| 160.2 | 31.6 | 1.5 | R | T SS PA-18 N/PA-198 W | 257.8 |
| 161.1 | 32.5 | 0.9 | L | TRO PA 198 W (store) | 259.3 |
| 161.2 | 32.6 | 0.1 | S | Mulberry St (leave PA 198) | 259.4 |
| 162.6 | 34.0 | 1.4 | R | Turkey Track Rd (SR 4006) | 261.7 |
| 166.9 | 38.3 | 4.3 | L | SS Beaver Center Rd UM (SR 4001) | 268.6 |
| 170.2 | 41.6 | 3.3 | R | T SS US-6 W UM | 273.9 |
| 170.3 | 41.7 | 0.1 | QL | Footville-Richmond Rd | 274.1 |
| 171.9 | 43.3 | 1.6 | S | Enter OH | 276.6 |

| From Start | From Last Ctrl | From Last Cue | Type | Description | km |
|------------|----------------|---------------|------|--|--------------|
| 172.8 | 44.2 | 0.9 | L | T SS Pymatuning Lake Rd | 278.1 |
| 177.5 | 48.9 | 4.7 | R | Fenkell Rd | 285.7 |
| 179.1 | 50.5 | 1.6 | L | SS SR 7 S/ US-6 W | 288.2 |
| 180.1 | 51.5 | 1.0 | R | T SS TRO SR 7 S around square | 289.8 |
| 180.2 | 51.6 | 0.1 | R | TRO SR 7 S | 290.0 |
| 180.2 | 51.6 | 0.0 | R | Control Shell, 150 S. Main St., Andover, OH 44003, Open:14:42 Close:01:20 (6/2) | 290.0 |
| 180.2 | 0.0 | 0.0 | R | Continue on SR 7 S | 290.0 |
| 181.2 | 1.0 | 1.0 | R | Gibbs Rd | 291.6 |
| 183.2 | 3.0 | 2.0 | L | T SS Stanhope-Kelloggsville Rd UM | 294.8 |
| 187.3 | 7.1 | 4.1 | R | SS US-322 W UM XXX Traffic | 301.4 |
| 189.3 | 9.1 | 2.0 | R | Hayes Rd | 304.6 |
| 190.1 | 9.9 | 0.8 | L | Babcock Rd | 305.9 |
| 191.1 | 10.9 | 1.0 | R | T SS SR 193 N UM | 307.5 |
| 191.6 | 11.4 | 0.5 | L | Windsor Rd | 308.4 |
| 202.0 | 21.8 | 10.4 | L | T SS SR 45 S UM | 325.1 |
| 202.5 | 22.3 | 0.5 | R | New Hudson Rd | 325.9 |
| 206.0 | 25.8 | 3.5 | L | T SS Noble Rd UM | 331.5 |
| 207.0 | 26.8 | 1.0 | BL | SS SR-534 S UM | 333.1 |
| 208.9 | 28.7 | 1.9 | R | Windsor Rd | 336.2 |
| 214.7 | 34.5 | 5.8 | L | SS SR-528 S UM | 345.5 |
| 218.1 | 37.9 | 3.4 | R | TL SR-87 W/High St XXX Traffic | 351.0 |
| 220.0 | 39.8 | 1.9 | R | Control Marathon/Circle K, 15560 W. High St., Middlefield, OH 44062, Open:16:42 Close:05:36 (6/2) | 354.1 |
| 220.0 | 0.0 | 0.0 | L | Backtrack on High St | 354.1 |
| 220.1 | 0.1 | 0.1 | QR | TL Springdale Ave | 354.2 |
| 220.5 | 0.5 | 0.4 | R | T TL Lake Ave | 354.9 |
| 221.2 | 1.2 | 0.7 | R | Georgia Rd | 356.0 |
| 223.7 | 3.7 | 2.5 | L | T SS SR 168 S | 360.0 |
| 224.7 | 4.7 | 1.0 | R | Jug St | 361.6 |
| 227.3 | 7.3 | 2.6 | R | T Patch Rd UM | 365.8 |
| 227.4 | 7.4 | 0.1 | QL | Jug St UM | 366.0 |
| 231.5 | 11.5 | 4.1 | R | T SS Grove Rd >Allyn Rd | 372.6 |
| 233.4 | 13.4 | 1.9 | BR | TRO Allyn Rd | 375.6 |
| 233.5 | 13.5 | 0.1 | BR | Winchell Rd UM | 375.8 |
| 239.8 | 19.8 | 6.3 | L | SS Chamberlain Rd | 385.9 |
| 242.6 | 22.6 | 2.8 | R | Pioneer Tr | 390.4 |
| 244.3 | 24.3 | 1.7 | L | Page Rd | 393.2 |
| 245.4 | 25.4 | 1.1 | R | SS Mennonite Rd | 394.9 |
| 246.5 | 26.5 | 1.1 | R | T SS Chillicothe Rd | 396.7 |
| 246.5 | 26.5 | 0.0 | QL | Mennonite Rd | 396.7 |
| 247.3 | 27.3 | 0.8 | L | SS Aurora Hudson Rd | 398.0 |
| 247.5 | 27.5 | 0.2 | R | Old Mill Rd | 398.3 |
| 251.7 | 31.7 | 4.2 | L | T TL SR 91 S/Darrow Rd | 405.1 |
| 251.8 | 31.8 | 0.1 | R | TL Twinsburg Rd | 405.2 |
| 255.8 | 35.8 | 4.0 | R | SS Olde 8 Rd | 411.7 |
| 256.8 | 36.8 | 1.0 | R | TL Highland Rd | 413.3 |

| From Start | From Last Ctrl | From Last Cue | Type | Description | km |
|--------------|----------------|---------------|----------|---|--------------|
| 257.3 | 37.3 | 0.5 | R | Control LaQuinta, 268 Highland Rd., Macedonia, OH 44056 Open:18:36 Close:09:36 (6/2) | 414.1 |
| 257.3 | 0.0 | 0.0 | L | Backtrack on Highland | 414.1 |
| 257.8 | 0.5 | 0.5 | L | T TL Olde 8 Rd | 414.9 |
| 258.7 | 1.4 | 0.9 | R | Twinsburg Rd | 416.3 |
| 259.9 | 2.6 | 1.2 | L | T SS Brandywine Rd | 418.3 |
| 260.1 | 2.8 | 0.2 | R | Bike and Hike Trail | 418.6 |
| 260.9 | 3.6 | 0.8 | L | SS TRO Bike and Hike Trail at Hines Hill Rd | 419.9 |
| 264.0 | 6.7 | 3.1 | BL | TRO Bike and Hike Trail DO NOT MISS! | 424.9 |
| 266.9 | 9.6 | 2.9 | R | X Norton Rd TRO Bike and Hike Trail | 429.5 |
| 271.3 | 14.0 | 4.4 | R | Judson Rd, Trail exit | 436.6 |
| 271.3 | 14.0 | 0.0 | QL | T SS FL Hudson Rd | 436.6 |
| 272.4 | 15.1 | 1.1 | R | T SS Ravenna Rd | 438.4 |
| 273.8 | 16.5 | 1.4 | R | T SS SR 43 S | 440.6 |
| 273.9 | 16.6 | 0.1 | QL | Ravenna Rd | 440.8 |
| 276.0 | 18.7 | 2.1 | BL | Parking lot to Hike and Bike Trail | 444.2 |
| 279.5 | 22.2 | 3.5 | R | SS Cleveland Rd UM (Firestone across on L) | 449.8 |
| 279.7 | 22.4 | 0.2 | S | TL onto N Sycamore St >Harris Ave | 450.1 |
| 280.5 | 23.2 | 0.8 | R | T SS Chestnut St | 451.4 |
| 280.7 | 23.4 | 0.2 | L | T SS Lake St (store @280.8) | 451.7 |
| 282.0 | 24.7 | 1.3 | R | T SS New Milford Rd | 453.8 |
| 286.5 | 29.2 | 4.5 | L | Cook Rd | 461.1 |
| 288.3 | 31.0 | 1.8 | R | T SS Industry Rd UM | 464.0 |
| 288.5 | 31.2 | 0.2 | L | Wilkes Rd | 464.3 |
| 289.6 | 32.3 | 1.1 | R | Stroup Rd | 466.1 |
| 292.4 | 35.1 | 2.8 | L | SS Waterloo Rd | 470.6 |
| 293.6 | 36.3 | 1.2 | R | SS FL SR 183 W (store) | 472.5 |
| 294.9 | 37.6 | 1.3 | L | Virginia Rd | 474.6 |
| 296.1 | 38.8 | 1.2 | R | Porter Rd UM | 476.5 |
| 297.3 | 40.0 | 1.2 | L | T SS German Church Rd UM | 478.5 |
| 298.0 | 40.7 | 0.7 | R | Teel Ave XXX GRAVEL Sections XXX | 479.6 |
| 299.0 | 41.7 | 1.0 | L | T SS Price St UM | 481.2 |
| 299.4 | 42.1 | 0.4 | R | SS SR 225 UM | 481.8 |
| 300.2 | 42.9 | 0.8 | L | Greenbower St (Rough Road!) | 483.1 |
| 300.9 | 43.6 | 0.7 | R | Webb Ave | 484.3 |
| 302.2 | 44.9 | 1.3 | L | SS Armour St >S Range Rd | 486.3 |
| 303.1 | 45.8 | 0.9 | R | SS Oyster Rd | 487.8 |
| 303.6 | 46.3 | 0.5 | L | T SS Courtney Rd | 488.6 |
| 309.0 | 51.7 | 5.4 | R | T SS Smith Goshen Rd | 497.3 |
| 309.5 | 52.2 | 0.5 | L | Pine Lake Rd | 498.1 |
| 314.7 | 57.4 | 5.2 | R | SS Goshen Rd | 506.5 |
| 316.8 | 59.5 | 2.1 | L | SS 2nd St | 509.8 |
| 317.0 | 59.7 | 0.2 | R | SS Howard Ave | 510.2 |
| 317.1 | 59.8 | 0.1 | L | Control Speedway, 1750 W. State St, Salem, OH 44460, Open:21:48 Close:16:00 (6/2) | 510.3 |

| From Start | From Last Ctrl | From Last Cue | Type | Description | km |
|--|----------------|---|------|--|--------------|
| 317.1 | 0.0 | 0.0 | R | Backtrack on Howard Ave | 510.3 |
| 317.2 | 0.1 | 0.1 | L | SS 2nd St | 510.5 |
| 317.4 | 0.3 | 0.2 | R | SS Jennings Ave | 510.8 |
| 319.5 | 2.4 | 2.1 | L | Pine Lake Rd | 514.2 |
| 324.7 | 7.6 | 5.2 | R | T SS Smith Goshen Rd | 522.6 |
| 325.2 | 8.1 | 0.5 | L | Courtney Rd | 523.4 |
| 330.6 | 13.5 | 5.4 | R | Oyster Rd | 532.1 |
| 331.1 | 14.0 | 0.5 | L | South Range Rd >Armour St | 532.9 |
| 332.0 | 14.9 | 0.9 | R | Webb Ave | 534.3 |
| 333.3 | 16.2 | 1.3 | L | T SS Greenbower St | 536.4 |
| 334.0 | 16.9 | 0.7 | R | SS SR 225 | 537.5 |
| 334.8 | 17.7 | 0.8 | L | Price St | 538.8 |
| 335.2 | 18.1 | 0.4 | R | Teel Ave UM XXX GRAVEL Sections XXX | 539.5 |
| 336.2 | 19.1 | 1.0 | L | T SS German Church Rd UM | 541.1 |
| 336.9 | 19.8 | 0.7 | R | Porter Rd | 542.2 |
| 338.1 | 21.0 | 1.2 | L | Virginia Rd | 544.1 |
| 339.3 | 22.2 | 1.2 | R | T SS SR 183 E UM | 546.1 |
| 340.6 | 23.5 | 1.3 | L | SS FL Waterloo (store) | 548.1 |
| 341.8 | 24.7 | 1.2 | R | Stroup Rd | 550.1 |
| 344.6 | 27.5 | 2.8 | L | T SS Wilkes Rd | 554.6 |
| 345.7 | 28.6 | 1.1 | R | SS Industry Rd | 556.4 |
| 345.9 | 28.8 | 0.2 | L | Cook Rd | 556.7 |
| 347.7 | 30.6 | 1.8 | R | SS New Milford Rd | 559.6 |
| 352.2 | 35.1 | 4.5 | L | Lake St (store @353.4) | 566.8 |
| 353.5 | 36.4 | 1.3 | R | Chestnut St | 568.9 |
| 353.7 | 36.6 | 0.2 | L | Harris Ave >Sycamore St | 569.2 |
| 354.5 | 37.4 | 0.8 | S | TL onto Cleveland Rd | 570.5 |
| 354.7 | 37.6 | 0.2 | L | onto Hike and Bike Trail after RR Tracks | 570.8 |
| 358.2 | 41.1 | 3.5 | BR | Ravenna Rd out of parking lot | 576.5 |
| 360.3 | 43.2 | 2.1 | R | T SS SR 43 N | 579.8 |
| 360.4 | 43.3 | 0.1 | QL | Ravenna Rd | 580.0 |
| 361.8 | 44.7 | 1.4 | L | Hudson Rd | 582.3 |
| 362.9 | 45.8 | 1.1 | R | SS FL Judson Rd | 584.0 |
| 362.9 | 45.8 | 0.0 | QL | parking area onto Hike and Bike Trail | 584.0 |
| 367.3 | 50.2 | 4.4 | S | X Norton Rd then L TRO Bike and Hike Trail | 591.1 |
| 373.3 | 56.2 | 6.0 | S | X Hines Hill Rd TRO Bike and Hike Trail | 600.8 |
| 374.1 | 57.0 | 0.8 | L | T SS Brandywine Rd | 602.1 |
| 374.3 | 57.2 | 0.2 | R | Twinsburg Rd | 602.4 |
| 375.5 | 58.4 | 1.2 | L | SS Olde 8 Rd | 604.3 |
| 376.4 | 59.3 | 0.9 | R | TL Highland Rd | 605.8 |
| 376.9 | 59.8 | 0.5 | R | Finish LaQuinta, 268 Highland Rd., Macedonia, OH 44056 Open:00:48 (6/2) Close:22:00 (6/2) | 606.6 |
| | Link: | https://ridewithgps.com/routes/29622530 | | | |
| In case of emergency, call 911 (cell and GPS coverage may be limited in some areas) If you abandon, call Dave Roderick, Ohio Randonneurs RBA 614-397-5495 | | | | | |